

MDDC - 1028

UNITED STATES
ATOMIC ENERGY COMMISSION
OAK RIDGE
TENNESSEE

184" CYCLOTRON
HALF-LIFE MEASUREMENTS ON DEE

by

Alice Dodson


Published for use within the Atomic Energy Commission. Inquiries for additional copies and any questions regarding reproduction by recipients of this document may be referred to the Documents Distribution Subsection, Publication Section, Technical Information Branch, Atomic Energy Commission, P. O. Box E, Oak Ridge, Tennessee.

Inasmuch as a declassified document may differ materially from the original classified document by reason of deletions necessary to accomplish declassification, this copy does not constitute authority for declassification of classified copies of a similar document which may bear the same title and authors.

Date of Manuscript: March 11, 1947

Document Declassified: June 24, 1947

This document consists of 2 pages.



184" CYCLOTRON HALF-LIFE MEASUREMENTS ON DEE

By Alice Dodson

Experiment done by: W. Stephan, W. Chupp, W. Grimshaw, A. Reyenga, F. Yeater,
A. Oliver, R. Dufour, J. Vale, R. Watt, and L. Houser

INTRODUCTION

These experiments were performed to determine the half-life of the active portion of the Dee.

EXPERIMENTAL SETUP

Curve Number 1 measurements were made on Zeus ML 41345 on February 10 and 11, 1947. Curve Number 2 measurements were made on Zeus ML 41394 on February 18, 1947. Measurements were started about 7 hours after operation ceased. See sketch for location of Zeus (Figure 1).

RESULTS

The half-life of this material is approximately 7 hours. (See graph.)




Figure 1

Half-Life Measurements on Dee




Figure 2

UNIVERSITY OF FLORIDA



3 1262 08909 7777